i-SCRENX

CREATIVE
SMART SCREEN

Catelogs

2025





Smart Board Digital Whiteboard 4K

Description

Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size.....55" / 65" / 75" / 86" / 100" / 110" / 115"

Camera.....Built-in camera 48 million pixels (Supports external)

Speaker ..... Built-in speaker

MIC.....Supported

Cabinet Color.....Black / Grey

Resolution.....3840*2160

Installation Way.....Wall mounted (Floor stand optional)

Writing Method.....Pen / Finger touch

Touch.....Touch screen 20 point IR touch panel

Interface Type.....USB / AUX / HDMI IN / Out / Remote Control

Other.....WIFI / Bluetooth / Screen Mirroring / TV

Eye Protection Mode / Processor Fast Upgrade / Multiple Languages

Software(Whatsapp Netflix YouTube Zoom Google Pay Store)

Other Attributes

Operating system.....Android 13 + win10 optional

RAM.....4GB(8GB for option)

ROM.....32GB(128GB for option)

OEM/ODM.....Supported



Mobile TV Portable Touch Screen

Description
Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size.....22" / 24" / 32"

Speaker ..... Built-in speaker

MIC.....Supported

Power Type .....Built-in lithium battery

Camera..... Built-in camera13 million pixels (Supports external)

Cabinet Color.....White

Interface Type.....USB / AUX / HDMI IN

Control.....Capacitive Touch / Remote control

Resolution.....1920*1080

Other.....WIFI / Bluetooth / Screen Mirroring / TV / Hotspot

Eye Protection Mode / Multiple Languages / Support External Cameras

Software(Whatsapp Netflix Youtube Zoom Google Pay Store)

Other Attributes

OS.....Android 12

RAM.....6GB(8GB for option)

ROM.....128GB(256GB for option)

WIFI.....Dual-band WIFI 2.4+5G

OEM/ODM.....Supported







LED Full Poster Screen

Description

Industry-specific attributes

Application.....Indoor / Semi outdoor / Outdoor

Type.....LED

Brand Name.....ISCRENX

LED Pitch.....P1.5 / P1.8 / P2 / P2.5

Module Size.....320mm*160mm

Cabinet Size.....654mm*441*2001

Cabinet Color.....Black

Private Mold.....Yes

Brightness.....800cd/m2~4000cd/m2

Import Voltage.....AC/100~240V 50/60Hz

Refresh Rate.....3840Hz

Installation.....Floor stand / Wall-mounted / Hanging

Control.....PC / Phone / USB Drive

Speaker.....Supported

Use.....Event / Retail / Shopping mall / Hall / Conference / Exhibition / Airport / Railway station / Metro / Cinema / Church / Property

Operation System.....Nova / Colorlight / Huidu

Placement Style.....Floorstanding / Wallmounted

Splicing Mode.....Supported

OEM/ODM.....Supported







LED Screen

Description

Industry-specific attributes

Application.....Indoor / Outdoor

Type.....LED

Brand Name.....ISCRENX

LED Pitch.....P1.2 / P1.5 / P1.8 / P2 / P2.5 / P3 / P4 / P5 / P8

Module Size.....320mm*160mm / 250mm*250mm

Cabinet Size.....500mm*500mm / 480mm*640

Brightness.....800cd/m2~4000cd/m2

Import Voltage.....AC/100~240V 50/60Hz

Refresh Rate.....3840Hz

Installation.....Floor stand / Wall-mounted / Hanging

Control.....PC / Phone / USB Drive

Speaker.....Optional

Use.....Event / Retail / Shopping mall / Hall / Conference / Exhibition / Airport / Railway station / Metro / Cinema / Church / Property

Operation System.....Nova / Colorlight / Huidu

Placement Style.....Floorstanding / Wallmounted

Splicing Mode.....Supported

OEM/ODM.....Supported



LCD Touch Screen-A

Description

Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size.....43" / 50" / 55" / 65" / 75" / 86" / 100"

Speaker ..... Built-in Speaker

Cabinet Color.....Black/White

Refresh Rate.....Ntsc(60Hz)

Interface Type.....USB / HDMI

Resolution.....1920*1080/3840*2160

Touch.....Infrared touch / capacitive touch

Interface Type.....USB / AUX / HDMI Out

Control.....PC / Phone / USB Drive / Remote control

Software(Whatsapp Netflix Youtube Zoom Google Pay Store)

Other Attributes

OS.....Android 11(Win 10 for option)

RAM.....4GB(8GB/16GB for option)

ROM.....32GB(128GB/256GB for option)

Use.....Advertising Publish / Retail Store / Shopping Mall /

Self-service Business / Exhibition Hall / Wayfinding / Airport / Restaurant & Hotel

OEM/ODM.....Supported







LCD Touch Screen-B

Description

Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size.....10.1" / 13.3" / 15.6" / 18.5" / 21.5" / 24" / 27" / 32" / 43" / 50" / 55" / 65" / 75" / 86" / 98" / 100" / 110" / 115"

Speaker ..... Built-in Speaker

Cabinet Color.....Black/White

Refresh Rate.....Ntsc(60Hz)

Interface Type.....USB / HDMI

Resolution.....1920*1080/3840*2160

Touch.....Infrared touch / capacitive touch

Interface Type.....USB / AUX / HDMI Out

Control.....PC / Phone / USB Drive / Remote control

Software(Whatsapp Netflix Youtube Zoom Google Pay Store)

Other Attributes

OS.....Android 11(Win 10 for option)

RAM.....4GB(8GB/16GB for option)

ROM.....32GB(128GB/256GB for option)

Use.....Advertising Publish / Retail Store / Shopping Mall / Self-service Business / Exhibition Hall / Wayfinding / Airport / Restaurant & Hotel

OEM/ODM.....Supported





Auto Highlight Screen

Description

Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size.....43" / 50" / 55" / 65" / 75"

Cabinet Color.....Black/White

Refresh Rate.....Ntsc(60Hz)

Interface Type.....USB / HDMI

Resolution.....1920*1080/3840*2160

Brightness.....1500cd/m2~4000cd/m2

Interface Type.....USB / AUX / HDMI IN

Control.....PC / Phone / USB Drive

Other Attributes

OS.....Android 11(Win 10 for option)

RAM.....4GB(8GB/16GB for option)

ROM.....32GB(128GB/256GB for option)

Use.....Advertising Publish / Retail Store / Shopping Mall / Self-service Business / Exhibition Hall / Wayfinding / Airport / Restaurant & Hotel

OEM/ODM.....Supported





LCD Touch Screen

Description

Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size.....32" / 43" / 50" / 55" / 65" / 75"

Speaker ..... Built-in Speaker

Cabinet Color.....Black/White

Refresh Rate.....Ntsc(60Hz)

Interface Type.....USB / HDMI

Resolution.....1920*1080/3840*2160

Touch.....Infrared touch / capacitive touch

Interface Type.....USB / AUX / HDMI Out

Control.....PC / Phone / USB Drive / Remote control

Software(Whatsapp Netflix Youtube Zoom Google Pay Store)

Other Attributes

OS.....Android 11(Win 10 for option)

RAM.....4GB(8GB/16GB for option)

ROM.....32GB(128GB/256GB for option)

Use.....Advertising Publish / Retail Store / Shopping Mall /

Self-service Business / Exhibition Hall / Wayfinding / Airport / Restaurant & Hotel

OEM/ODM.....Supported







HD LCD Screen

Description

Industry-specific attributes

Application.....Indoor

Type.....LCD

Brand Name.....ISCRENX

Screen Size..... 46" / 49" / 55" / 65" / 65"

Piece.....3.5mm / 1.7mm / 0.88mm

Cabinet Color.....Black/White

Refresh Rate.....Ntsc(60Hz)

Interface Type.....USB / HDMI

Resolution.....1920*1080/3840*2160

Brightness.....500cd/m2~800cd/m2

Interface Type.....USB / HDMI IN


Control.....PC / Phone / USB Drive

Splicing Mode.....Supported


Other Attributes


Use.....Advertising Publish / Retail Store / Shopping Mall / Self-service Business / Exhibition Hall / Wayfinding / Airport / Restaurant & Hotel

OEM/ODM.....Supported









LED Transparent Film Screen

Description
Industry-specific attributes

Application.....Indoor / Semi outdoor

Type.....LED

Brand Name.....ISCRENX

LED Pitch.....P4 / P6 / P8 / P10

Module Size.....960mm*240mm(Support customization)

Transmittance.....90%

Private Mold.....Yes

Brightness.....800cd/m2~3000cd/m2

Import Voltage.....AC/100~240V 50/60Hz

Refresh Rate.....3840Hz

Installation.....Glass / Acrylic / Hanging

Customization.....Supported

Flexible.....Soft material

Thickness.....Only 2.5mm

Light Weight.....≤0.28KG/ft^2


Control.....PC / Phone / USB Drive


Operation System.....Nova / Colorlight

Splicing Mode.....Supported

OEM/ODM.....Supported









LED Invisible Honeycomb Screen

Description

Industry-specific attributes

Application.....Indoor / Semi outdoor

Type.....LED

Brand Name.....ISCRENX

LED Pitch.....P2.5 / P3.5 / P3.91 / P5 / P7.8 / P10

Module Size.....1500mm*250mm(Support customization)

Transmittance.....70%

Private Mold.....Yes

Brightness.....800cd/m2~3000cd/m2

Import Voltage.....AC/100~240V 50/60Hz

Refresh Rate.....3840Hz

Installation.....Glass / Acrylic / Hanging

Customization.....Supported

Flexible.....Soft Material

Thickness.....Only 2.5mm

Light Weight.....≤0.28KG/ft^2

Control.....PC / Phone / USB Drive

Operation System.....Nova / Colorlight

Splicing Mode.....Supported

OEM/ODM.....Supported







LED Transparent Film Screen

Description

Industry-specific attributes

Application.....Indoor

Type.....OLED

Brand Name.....ISCRENX

Transmittance.....95%

Import Voltage.....AC/100~240V 50/60Hz

Refresh Rate.....3840Hz

Customization.....Supported

Cabinet Color.....White

Refresh Rate.....Ntsc(60Hz)

Interface Type.....USB / HDMI

Resolution.....3840*2160(4K)

Control.....PC / Phone / USB Drive

Other Attributes

OS.....Android / Windows

RAM.....4GB(6GB for option)

ROM.....32GB(128GB for option)

Splicing Mode.....Supported

OEM/ODM.....Supported





Transparent display cabinet

Description

Industry-specific attributes

Application.....Indoor

Type.....LED

Brand Name.....ISCRENX

Screen Size.....10.1" / 15.6" / 21.5" / 32" / 43" / 49" / 55" / 65" / 75" / 86" / 98"

Cabinet Color.....Black / White

Speaker ..... Built-in speaker

Refresh Rate.....Ntsc(60Hz)

Resolution.....1920*1080 / 3840*2160

Brightness.....350cd/m2

Touch.....Capacitance / Infrared

Interface Type.....USB / AUX / HDMI IN / OUT / Remote Control

Control.....PC / Phone / USB Drive / Remote control

Software(Whatsapp Netflix Youtube Zoom Google Pay Store)

Other Attributes

OS.....Android / Windows

RAM.....4GB(6GB for option)

ROM.....64GB(128GB for option)

Software.....Supported

WIFI.....Supported

OEM/ODM.....Supported

i·SCRENX

DATE:JAN,2025

Tel:+60 12233 1216

Web:www.iscrenx.com

Email:nokis@yuslcd.com

Add:No.7, Jalan Semtec 3, Semtec park, Semenyih,
43500 semtec, Selangor, Malaysia

ISCREEN SDN. BHD.(1577021-D)